

Bioterrorism: An Overview

Rick Roman, M.H.S.A.

Senior Epidemic Support Coordinator
Bioterrorism Preparedness and Response Program
Centers for Disease Control and Prevention



Bioterrorism

+ Intentional or threatened use of viruses, bacteria, fungi, or toxins from living organisms to produce death or disease in humans, animals, or plants



+14th Century: Plague at Kaffa





+18th Century: Smallpox Blankets





History of Biological Warfare

+20th Century:

- 1943: USA program launched
- 1953: Defensive program established
- 1969: Offensive program disbanded



Biological Warfare Agreements

+ 1925 Geneva Protocol

+ 1972 Biological Weapons

Convention

+ 1975 Geneva Conventions

Ratified





Bioterrorism:Who are 1st Responders?

- + Primary Care Personnel
- + Hospital ER Staff
- + EMS Personnel
- + Public Health Professionals
- + Other Emergency Preparedness Personnel
- + Laboratory Personnel
- + Law Enforcement



Potential Bioterrorism Agents

+ Bacterial Agents

- Anthrax
- Brucellosis
- Cholera
- Plague, Pneumonic
- Tularemia
- Q Fever

Source: U.S. A.M.R.I.I.D.

+ Viruses

- Smallpox
- VEE
- VHF

+ Biological Toxins

- Botulinum
- Staph Entero-B
- Ricin
- T-2 Mycotoxins



Biological Agents of Highest Concern

- + Variola major (Smallpox)
- + Bacillus anthracis (Anthrax)
- + Yersinia pestis (Plague)
- + Francisella tularensis (Tularemia)
- + Botulinum toxin (Botulism)
- + Filoviruses and Arenaviruses (Viral hemorrhagic fevers)
- ALL suspected or confirmed cases should be reported to health authorities <u>immediately</u>





Parapox

Anthrax



Advantages of Biologics as Weapons

- + Infectious via aerosol
- + Organisms fairly stable in environment
- + Susceptible civilian populations
- + High morbidity and mortality
- + Person-to-person transmission (smallpox, plague, VHF)
- + Difficult to diagnose and/or treat
- + Previous development for BW



Advantages of Biologics as Weapons

- + Easy to obtain
- + Inexpensive to produce
- Potential for dissemination over large geographic area
- + Creates panic
- + Can overwhelm medical services
- + Perpetrators escape easily



Bioterrorism: How Real is the Threat?

Hoax vs. Actual BT Event



Anthrax Bioterrorism

Anthrax hoax at federal building delays 91 in L.A.

within the best the copie,

The ARMFLEX Note of the copie of the copie


much. The complete our properties of the complete of the compl

San Francisco Chronicle, 20 December 1998





Threats reported to FBI







Chemical & Biological Terrorism

1984: The Dalles, Oregon, Salmonella (salad bar)

1991: Minnesota, ricin toxin (hoax)

1994: Tokyo, Sarin and biological attacks

1995: Arkansas, ricin toxin (hoax)

1995: Ohio, Yersinia pestis (sent in mail)

1997: Washington DC, "Anthrax" (hoax)

1998: Nevada, non-lethal strain of *B. anthracis*

1998: Multiple "Anthrax" hoaxes



Salmonellosis Caused by Intentional Contamination

4The Dalles, Oregon in Fall of 1984


4751 cases of Salmonella

4Eating at salad bars in 10 restaurants

4Criminal investigation identified perpetrators as followers of Bhagwan Shree Rajneesh

SOURCE: Torok et al. JAMA 1997;278:389





Source: ASAHI SHIMBUN SIPA



Clinical Status of Patients Exposed to Sarin on March 21, 1995

Dead	8
Critical	17
Severe	37
Moderate	984
Outpatient	4,073
Unknown	391
Total	5,510



Shigellosis Caused by Intentional Contamination

- 4 Dallas, Texas in Fall of 1996
- 4 12 (27%) of 45 laboratory workers in a large medical center had severe diarrheal illness
- 4 8 (67%) had positive stool cultures for S. dysenteriae type 2
- 4 Eating muffins or donuts in staff break room implicated
- 4 PFGE patterns indistinguishable for stool, muffin, and laboratory stock isolates
- 4 Criminal investigation in progress

SOURCE: Kolavic et al. JAMA 1997;278:396



Federal Agencies Involved in Bioterrorism

+ NSC

+ DOD

+ FEMA

+ DOJ

+ DHHS

+ Treasury

+ EPA

+ FBI

+ PHS

+ CDC

+ Secret Service

+ USDA

+ FDA


+ SBCCOM

+ USAMRIID

+ OEP



Cost of Bioterrorism





Agent Transmission



Routes of Infection

- + Skin
 - Cuts
 - Abrasions
 - Mucosal membranes



Routes of Infection

+ Gastrointestinal

- Food
 - Potentially significant route of delivery
 - Secondary to either purposeful or accidental exposure to aerosol

– Water

- Capacity to affect large numbers of people
- Dilution factor
- Water treatment may be effective in removal of agents



Routes of Infection

+ Respiratory

- Inhalation of spores, droplets & aerosols
- Aerosols most effective delivery method
- 1-5[™] droplet most effective



Medical Response to Bioterrorism



Medical Response

+ Pre-exposure

- active immunization
- prophylaxis
- identification of threat/use



Medical Response

+ Incubation period

- diagnosis
- active and passive immunization
- antimicrobial or supportive therapy



Medical Response

+ Overt disease

- diagnosis
- treatment
 - may not be available
 - may overwhelm system
 - may be less effective
- direct patient care will predominate



Public Health Response to Bioterrorism



Priorities for Public Health Preparedness

- + Emergency Preparedness and Response
- + Enhance Surveillance and Epidemiology
- Enhance Laboratory Capacity
- + Enhance Information Technology
- + Stockpile




Components of a Public Health Response to Bioterrorism

- + * Detection Health Surveillance
- + * Rapid Laboratory Diagnosis
- + * Epidemiologic Investigation
- + * Implementation of Control Measures



Laboratory Response Network For Bioterrorism





CDC BT Rapid Response and Advanced Technology Lab

- + BSL -3
- + Agent Identification and Specimen Triage
- Refer to and Assist Specialty Lab Confirmation
- + Evaluate Rapid Detection Technology
- + Rapid Response Team



Bioterrorism: What Can Be Done?

- + Awareness
- + Laboratory Preparedness
- + Plan in place
- + Individual & collective protection
- + Detection & characterization



Bioterrorism: *What Can Be Done?*

- + Emergency response
- + Measures to Protect the Public's Health and Safety
- + Treatment
- + Safe practices